




## FortiWeb™ Web Application Firewall



### Web Application Firewall

Secures web applications to help customers meet compliance requirements



### Web Vulnerability Scanner

Scans, analyzes and detects web application vulnerabilities



### Application Delivery

Assures availability and accelerates performance of critical web applications

## Emerging Threats Create New Challenges

The continued evolution of the threat landscape has enabled individuals and groups to launch orchestrated attacks on organizations' infrastructure for criminal or political gain. Attackers now use a wealth of methods to infect hosts and control compromised systems through organized botnets for automated phishing, spamming, and DDoS attacks. DoS attacks are morphing from traditional network layer attacks to sophisticated layer seven attacks targeting application resources rather than bandwidth, flying under the radar of traditional DoS mitigation tools. Organizations now need new tools to protect against these emerging threats and the more traditional hacking methods such as SQL Injection and Cross-site-scripting.

## Unmatched Protection for Web Applications

The FortiWeb family of web application firewalls provides specialized, layered application threat protection for medium and large enterprises, application service providers, and SaaS providers. FortiWeb web application firewall protects your web-based applications and Internet-facing data from attack and data loss. Using advanced techniques to provide bidirectional protection against malicious sources and sophisticated threats like SQL injection and Cross-site scripting, FortiWeb platforms help you prevent identity theft, financial fraud and corporate espionage. FortiWeb delivers the technology you need to monitor and enforce government regulations, industry best practices, and internal policies.

## Unmatched Protection for Web Applications

- ICSA WAF certified
- WAF and integrated scanner aid in PCI 6.6 compliance
- Network and Application layer DoS protection
- Ongoing and automated protection against botnets and malicious sources
- Bot dashboard helps analyzing traffic from malicious robots, crawlers, scanners and search engines
- User behavior and web application structure analysis
- Geo IP analytics and security
- Antivirus file scanning
- Protection against the OWASP Top 10
- Periodic updates from FortiGuard® Labs



### FortiCare

Worldwide 24x7 Support  
support.fortinet.com



### FortiGuard

Threat Research & Response  
www.fortiguard.com



### FortiWeb

Web Application Firewall

[www.fortinet.com](http://www.fortinet.com)

## Accelerate Deployment and Lower Costs

FortiWeb significantly reduces deployment costs by consolidating Web Application Firewall, web traffic acceleration, and application traffic balancing into a single device with no per-user pricing. It drastically reduces the time required to protect your regulated Internet-facing data and eases the challenges associated with policy enforcement and regulatory compliance. Its intelligent, application-aware loadbalancing and data compression and optimization


engine increases application performance, improves resource utilization and application stability while reducing server response times.

## Geo IP Analytics and Security

FortiWeb's real time data analysis provides an analytic interface that helps organizations analyze their web application usage from multiple vectors, maps requests to their geographic location and allows blocking access from specific countries.

## FortiWeb Deployment Options

- Reverse Proxy – Provides additional capabilities such as URL rewrite and advanced routing capabilities.
- Inline Transparent – Layer two bridge that does not require network level redesign.
- True Transparent Proxy – Layer two deployment with no need for network level redesign. The traffic is internally terminated to provide more functionality than pure inspection.
- Offline Sniffing – Monitors environments with zero network footprint and latency.



## HIGHLIGHTS

### Enhanced Protection with IP Reputation Service

As the internet evolves hackers have begun using orchestrated attacks on organizations' infrastructure. Attackers now use a wealth of methods to infect innocent hosts, and control these infections through organized botnets in order to launch automated phishing, spamming, and DDoS attacks.


The FortiGuard IP Reputation Service for FortiWeb platforms aggregates data from locations and sources around the world that collaborate to provide up to date information about threatening sources. With feeds from distributed network gateways combined with world class research done from FortiGuard Labs, organizations can stay up to date and proactively block attacks.

### Protect your organization from multiple attack vectors

FortiGuard's IP Reputation Service categorizes and blocks threats from sources associated with:

- DDoS: Sources identified taking part of DDoS attacks
- Phishing: Sources identified taking part of Phishing attacks or hosting Phishing web sites
- Anonymous Proxies: anonymized traffic arriving from paid or anonymous proxies used to disguise real client identity

- Malicious Sources: hosts known to be infected with malicious software
- Spammers: hosts known to send spam



# HIGHLIGHTS

---

## Ultimate Protection and Monitoring

- **Auto-Learn Security Profiling**  
Automatically and dynamically build a security model of protected applications by continuously monitoring realtime user activity. Eliminate the need for manual configuration of security profiles.
- **Application Layer Vulnerability Protection**  
Provide out of the box protection for the most complex attacks such as SQL Injection, Cross Site Scripting, CSRF and many others. Together with the Auto Learn profiling system and advanced abilities, FortiWeb is able to create rules down to the single application element.
- **DoS Protection**  
Multiple protection policies for network and application layer denial of service threats. Sophisticated mechanism helps identify and block automated attacks.
- **Data Leak Prevention**  
Extended monitoring and protection for credit card leakage and application information disclosure by tightly monitoring all outbound traffic. Allow customers to create their own granular signatures and DLP patterns together with predefined rules for any type of events.
- **Site Publishing and SSO**  
Publish Microsoft applications such as Outlook Web Access and SharePoint with authentication delegation and single sign on integration.
- **Web Defacement Protection**  
Unique capabilities for monitoring protected applications for any defacement and ability to automatically and quickly revert to stored version.
- **Vulnerability Assessments**  
Automatically scans and analyzes the protected web applications and detects security weaknesses, potential application known and unknown vulnerabilities to complete a comprehensive solution for PCI DSS.
- **HTTP RFC Compliance Validation**  
FortiWeb blocks any attacks manipulating the HTTP protocol by maintaining strict RFC standards to prevent attacks such as encoding attacks, buffer overflows and other application specific attacks.
- **Antivirus**  
Scan file uploads using Fortinet's Antivirus engine with regular FortiGuard updates.

## Flexible Deployment and Efficient Management

- **Multiple deployment options**  
Transparent Inspection and True Transparent Proxy, Reverse Proxy and Offline modes allow deploying FortiWeb into any environment.
- **Geo IP and Bot Analysis**  
Map requests to their geographic location and analyze traffic from malicious robots, crawlers, scanners and search engines.

- **IPv6 Ready**  
Simplify network configuration with dual-stack support for both IPv4 to IPv6 and IPv6 to IPv4 communication.
- **Authentication Offload**  
Offload your web server authentication to the FortiWeb platform while supporting different authentication schemes such as Local, LDAP, NTLM and RADIUS.
- **Pre-defined Policies**  
Allows for one click deployments and greatly eases the process of policy creation.
- **High Availability**  
The high availability mode provides configuration synchronization and allows for a network-level failover in the event of unexpected outage events. Integrated bypass interfaces provide additional fail open capability for single box deployments.
- **Centralized Logging and Reporting**  
Centrally manage all logs and reports from multiple FortiWeb gateways with FortiAnalyzer integration.
- **Virtualization**  
Provides a Virtual Appliance for VMware ESX/ESXi, Citrix XenServer, Open Source Xen, and Amazon AWS platforms mitigating blind spots in virtual environments.

## Application Delivery


- **Application Aware Load Balancing**  
Intelligent, application aware layer 7 load balancing eliminates performance bottlenecks, reduces deployment complexity and provides seamless application integration.
- **Data Compression**  
Allows efficient bandwidth utilization and response time to users by compressing data retrieved from servers.
- **SSL Offload**  
With the integration of award winning FortiASIC™ technology, FortiWeb is able to process tens of thousands of web transactions by providing hardware accelerated SSL offloading.

## Aids in Compliance

- **PCI DSS compliance**  
FortiWeb is the only product that provides a Vulnerability Scanner module within the web application firewall that completes a comprehensive solution for PCI DSS requirement 6.6.
- **Protects against OWASP top 10**  
Incorporating a positive and a negative security module based on bidirectional traffic analysis and an embedded behavioral based anomaly detection engine FortiWeb fully protects against the OWASP TOP 10.
- **FortiGuard Labs**  
Utilizing Fortinet's renowned FortiGuard service, FortiWeb customers get up to date dynamic protection from the Fortinet Global Security Research Team, which researches and develops protection against known and potential application security threats.


## Application Profiling

The Auto-Learn profiling capability is completely transparent and does not require any changes to the application or network architecture. FortiWeb does not scan the application in order to build the profile, but rather analyzes the traffic as it monitors it flowing to the application. By creating a comprehensive security model of the application, FortiWeb can now protect against any known or unknown vulnerabilities or zero day attacks.



## Geo IP Analytics

Analyze web usage from multiple vectors, map requests to their geographic location and easily block access from unwanted countries.



Analyze user geographic location and web site access based on Hit, Data and Attack vectors.

## Bot Dashboard

Helps analyzing traffic from malicious robots, crawlers, scanners and search engines.

## FortiWeb Protects Against a Wide Range of Attacks

- Cross Site Scripting
- SQL Injection
- Session Hijacking
- Cookie Tampering / Poisoning
- Cross Site Request Forgery
- Command injection
- Remote File Inclusion
- Forms Tampering
- Hidden Field Manipulation
- Outbound Data Leakage
- HTTP Request Smuggling
- Remote File Inclusion
- Encoding Attacks
- Broken Access Control
- Forceful Browsing
- Directory Traversal
- Site Reconnaissance
- Search Engine Hacking
- Brute Force Login
- Access Rate Control
- Schema Poisoning
- XML Intrusion Prevention
- Recursive Payload
- External Entity Attack
- Buffer Overflows
- Denial of Service
- Zero Day Attacks

# SPECIFICATIONS

	FORTIWEB-400C	FORTIWEB-1000D	FORTIWEB-3000D/3000DFsx	FORTIWEB-4000D
<b>Hardware</b>				
10/100/1000 Interfaces (RJ-45 ports)	4	6 (4 bypass) 2x SFP GbE ports (non-bypass)	6 (2 bypass)	8 (2 bypass)
1000Base-SX Bypass Interfaces	0	0	0	2
10G BASE-SR SFP+ Bypass interfaces	0	0	0 (2 for 3000DFsx)	2
USB Interfaces	0	2	4	4
Storage	1 TB	2x 2 TB	2x 2 TB	2x 2 TB
Form Factor	1U	2U	2U	2U
Power Supply	Standard	2U Hot Swap Redundant	2U Hot Swap Redundant	2U Hot Swap Redundant

<b>System Performance</b>				
Throughput	100 Mbps	750 Mbps	1.5 Gbps	4 Gbps
Latency	Sub-ms	Sub-ms	Sub-ms	Sub-ms
High Availability	Active/Passive	Active/Passive	Active/Passive	Active/Passive
Application Licenses	Unlimited	Unlimited	Unlimited	Unlimited

All performance values are "up to" and vary depending on the system configuration.

<b>Dimensions</b>				
Height x Width x Length (in)	1.7 x 17.1 x 14.3	3.50 x 17.24 x 14.49	3.44 x 20.0 x 29.72	3.44 x 20.0 x 29.72
Height x Width x Length (mm)	44 x 435 x 364	88 x 438 x 368	87.3 x 482 x 755	87.3 x 482 x 755
Weight	14.15 lbs (6.42 kg)	27.6 lbs (12.5 kg)	63 lbs (28.6 kg)	63 lbs (28.6 kg)
Rack Mountable	Yes	Yes, with flanges	Yes	Yes

<b>Environment</b>				
Power Required	100–240 VAC, 50–60 Hz, 4.0 Amp max	100–240 VAC, 50–60 Hz	100–240 VAC, 50–60 Hz	100–240 VAC, 50–60 Hz
Maximum Current	120V/4A, 240V/2A	100V/5A, 240V/3A	110V/10A, 220V/5A	110V/10A, 220V/5A
Power Consumption (AVG)	100.3 W	115 W	393.6 W	393.6 W
Heat Dissipation	410.7 BTU/h	471 BTU/h	1,804.95 BTU/h	2,061.87 BTU/h
Operating Temperature	32–104°F (0–40°C)	32–104°F (0–40°C)	50–95°F (10–35°C)	50–95°F (10–35°C)
Storage Temperature	-13–158°F (-25–70°C)	-13–158°F (-25–70°C)	-40–149°F (-40–65°C)	-40–149°F (-40–65°C)
Humidity	10 to 90% non-condensing	5 to 95% non-condensing	20 to 90% non-condensing	20 to 90% non-condensing

<b>Compliance</b>				
Safety Certifications	FCC Class A Part 15, C-Tick, VCCI, CE, UL/cUL, CB	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE	FCC Class A Part 15, UL/CB/cUL, C-Tick, VCCI, CE

	FORTIWEB-VM (2 vCPU)	FORTIWEB-VM (4 vCPU)	FORTIWEB-VM (8 vCPU)
<b>Hardware Specifications</b>			
HTTP Throughput	100 Mbps	500 Mbps	1 Gbps
Max HTTP transactions per second	8,000	24,000	36,000
Application Licenses	Unlimited	Unlimited	Unlimited

<b>Virtual Machine</b>			
Hypervisor Support	VMware ESX / ESXi 3.5 / 4.0 / 4.1 / 5.0 / 5.1, Citrix XenServer 6.2, Open Source Xen 4.2, Amazon Web Services (AWS)		
vCPU Support (Min/Max)	2	2 / 4	2 / 8
Network Interface Support (Min/Max)	1 / 4	1 / 4	1 / 4
Storage Support (Min/Max)	40 GB / 2 TB	40 GB / 2 TB	40 GB / 2 TB
Memory Support (Min/Max)	1,024 MB / Unlimited for 64-bit	1,024 MB / Unlimited for 64-bit	1,024 MB / Unlimited for 64-bit
High Availability Support	Yes	Yes	Yes

Actual performance values may vary depending on the network traffic and system configuration. Performance metrics were observed using a Dell PowerEdge R710 server (2 x Intel Xeon E5504 2.0 GHz 4 MB Cache) running VMware ESXi 4.1 with 3 GB of vRAM assigned to the 4 vCPU and 8 vCPU FortiWeb Virtual Appliance and 1 GB of vRAM assigned to the 2 vCPU FortiWeb Virtual Appliance.



FortiWeb-400C



FortiWeb-1000D



FortiWeb-3000D



FortiWeb-4000D

# ORDER INFORMATION

Product	SKU	Description
FortiWeb-400C	FWB-400C-BDL	FortiWeb-400C Hardware plus 1 year 8x5 FortiCare and FortiGuard Bundle*
FortiWeb-1000D	FWB-1000D-E07S-BDL	FortiWeb-1000D Hardware plus 1 year 8x5 FortiCare and FortiGuard Bundle*
FortiWeb-3000D	FWB-3000D-E02S-BDL	FortiWeb-3000D Hardware plus 1 year 8x5 FortiCare and FortiGuard Bundle*
FortiWeb-3000DFsx	FWB-3000DFSX-E02S-BDL	FortiWeb-3000DFsx Hardware plus 1 year 8x5 FortiCare and FortiGuard Bundle*
FortiWeb-4000D	FWB-4000D-BDL	FortiWeb-4000D Hardware plus 1 year 8x5 FortiCare and FortiGuard Bundle*
FortiWeb-VM02	FWB-VM02	FortiWeb-VM, up to 2 vCPUs supported. 64-bit OS.
FortiWeb-VM04	FWB-VM04	FortiWeb-VM, up to 4 vCPUs supported. 64-bit OS.
FortiWeb-VM08	FWB-VM08	FortiWeb-VM, up to 8 vCPUs supported. 64-bit OS.

\* The FortiGuard bundle includes the FortiWeb Security Service, FortiGuard IP Reputation Service and the FortiWeb Antivirus Service.

**FortiGuard® Security Subscription Services** deliver dynamic, automated updates for Fortinet products. The Fortinet Global Security Research Team creates these updates to ensure up-to-date protection against sophisticated threats. Subscriptions include antivirus, intrusion prevention, web filtering, antispam, vulnerability management, application control, IP Reputation, Web Security and database security services signatures.

**FortiCare™ Support Services** provide global support for all Fortinet products and services. FortiCare support enables your Fortinet products to perform optimally. Support plans start with 8x5 Enhanced Support with “return and replace” hardware replacement or 24x7 Comprehensive Support with advanced replacement. Options include Premium Support, Premium RMA, and Professional Services. All hardware products include a 1-year limited hardware warranty and 90-day limited software warranty.

**Fortinet® Developer Network** is subscription-based advanced support for Fortinet products, geared towards application and integration developers. This service covers advanced topics like the FortiManager™ Web Portal and XML APIs. Includes best practices, example code, and community-built management tools.

#### GLOBAL HEADQUARTERS

Fortinet Inc.  
1090 Kifer Road  
Sunnyvale, CA 94086  
United States  
Tel: +1.408.235.7700  
Fax: +1.408.235.7737

#### EMEA SALES OFFICE

120 rue Albert Caquot  
06560, Sophia Antipolis,  
France  
Tel: +33.4.8987.0510  
Fax: +33.4.8987.0501

#### APAC SALES OFFICE

300 Beach Road #20-01  
The Concourse  
Singapore 199555  
Tel: +65.6513.3730  
Fax: +65.6223.6784

#### LATIN AMERICA SALES OFFICE

Prol. Paseo de la Reforma 115 Int. 702  
Col. Lomas de Santa Fe,  
C.P. 01219  
Del. Alvaro Obregón  
México D.F.  
Tel: 011-52-(55) 5524-8480



Copyright© 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard®, are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable. Certain Fortinet products are licensed under U.S. Patent No. 5,623,600.